

What is claimed is:

1. Polyethylene having:
a weight average molecular weight in the range of 150,000-1,000,000 g/mol;
a number average molecular weight of at least 25,000 g/mol;
a polydispersity in the range of 1.3-10; and
a wear coefficient of less than $3.2 \cdot 10^{-4} \text{ mm}^3/\text{mN}$.
2. The polyethylene of claim 1, wherein said polyethylene has a wear coefficient below $2.9 \cdot 10^{-4} \text{ mm}^3/\text{mN}$.
3. Polyethylene having:
a melt viscosity of less than 10^6 Pa.s ; and
a wear coefficient below $2.4 \cdot 10^{-4} \text{ mm}^3/\text{mN}$.
4. The polyethylene according to any one of claims 1-3, wherein said polyethylene has a weight average molecular weight below 700,000.
5. The polyethylene according to any one of claims 1-3, wherein said polyethylene has a weight average molecular weight below 500,000.
6. The polyethylene according to any one of claims 1-5, wherein said polyethylene has a weight average molecular weight of at least 250,000.

Sub A1

7. The polyethylene of according to any one of claims 1-6, wherein said polyethylene has a co-monomer content of less than 10 mol%.
8. The polyethylene according to any one of claims 1-7, wherein said polyethylene has a co-monomer content in the range of 0.5-5 wt%.
9. The polyethylene according to any one of claims 1-8, wherein said polyethylene has a wear coefficient below $2.0 \cdot 10^{-4} \text{ mm}^3/\text{mN}$.
10. The polyethylene according to any one of claims 1-9, wherein said polyethylene has a polydispersity below 5.
11. The polyethylene according to any one of claims 1-9, wherein said polyethylene has a polydispersity in the range of 2-4.
12. The polyethylene according to any one of claims 1-11, wherein said polyethylene has a melting point of at least 100°C .
13. The polyethylene according to any one of claims 1-11, wherein said polyethylene has a melt viscosity of less than $5 \cdot 10^5 \text{ Pa.s}$.
14. The polyethylene according to any one of claims 1-13, wherein said polyethylene has a number average molecular weight of at least 100,000 g/mol.

Sub A1
cont.

15. A process comprising melt-processing the polyethylene according to any one of claims 1-14.

C1

16. The process of claim 15, wherein said process includes injection molding said polyethylene.

Sub A2

17. An article obtainable by the process according to any one of claims 15-16.

18. An article comprising the polyethylene according to any one of claims 1-14.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100

19. Use of the polyethylene according to any one of claims 1-14.

20. A sliding member comprising a polyethylene, said polyethylene having:
a weight average molecular weight below 1,000,000 g/mol; and
a wear coefficient of less than $3.2 \cdot 10^{-4} \text{ mm}^3/\text{mN}$.

C1

Add A3